

## Crimp Fitting Nomenclature

### E08-12FJ90L-SS

**Coupling Series**

E = Braided, N = 4 Spiral, V/VS = 6 Spiral  
 W = Braided / Four Spiral, T = Thermoplastic

**Hose ID**

03 | 04 | 05 | 06 | 08 | 10 | 12 | 16 | 20 | 24 | 32

**Thread Size**

02 - 1/8"	12 - 3/4"
03 - 3/16"	16 - 1"
04 - 1/4"	20 - 1 1/4"
06 - 3/8"	24 - 1 1/2"
08 - 1/2"	32 - 2"

**Thread Gender**

F = Female  
 M = Male

**Thread Type**

J = JIC  
 A = SAE  
 N = NPT  
 F = ORFS  
 ML = Metric Light  
 MS = Metric Heavy  
 BSPP = BSP Parallel  
 BSPT = BSP Tapered  
 FL = Code 61  
 FLH = Code 62  
 FLC = CAT

**Drop**

S = Short  
 M = Medium  
 L = Long  
 125 = 125 mm

**Shape**

45 = 45 Degree  
 90 = 90 Degree

**Material**

SS-316 Stainless

**Fitting Series    Fitting Type**

AF	One Piece - Industrial Hose
E	One Piece - Braided Hose
F	One Piece - R5 Hose
N	One Piece - Four Spiral Hose
P	One Piece - Thermoplastic Hose
T	One Piece - Teflon / Thermoplastic Hose
V-VS	One Piece - Six Spiral Hose
X	One Piece - R15 Hose
Z	One Piece - Air Conditioning Hose
W	Two Piece - Braided / Four Spiral
1R	Reuseable - 1SN
2R	Reuseable - 2SN
5R	Reuseable - R5
7R	Reuseable - R7
PL	Push Lok
H	Reuseable - Suction Hose

STYLE	SERIES	DESCRIPTION
NPTF	MP	NPT Male
	MPA	NPT Male API
	MPL	NPT Male Long
	MPX	NPT Male Swivel
	MPX90B	NPT Male Swivel - 90° Block Elbow
	FP	NPT Female Rigid
	FPX	NPSM 60° Female Swivel
JIC	MJ	JIC 37° Male
	FJ	JIC 37° Female Swivel
	FJ45	JIC 37° Female Swivel - 45° Elbow
	FJ90B	JIC 37° Female Swivel - 90° Block Elbow
	FJ90S	JIC 37° Female Swivel - 90° Elbow Short Drop
	FJ90M	JIC 37° Female Swivel - 90° Elbow Medium Drop
	FJ90L	JIC 37° Female Swivel - 90° Elbow Long Drop
ORFS	MF	ORFS Male
	MFK	ORFS Male Bulkhead
	FF	ORFS Female Swivel
	FF45	ORFS Female Swivel - 45° Elbow
	FF90S	ORFS Female Swivel - 90° Elbow Short Drop
	FF90L	ORFS Female Swivel - 90° Elbow Long Drop
SAE	MA	SAE 45° Male
	FA	SAE 45° Female Swivel
	FA45	SAE 45° Female Swivel - 45° Elbow
	FA90	SAE 45° Female Swivel - 90° Elbow
	MOB	0-Ring Boss Male
	MOBX	0-Ring Boss Male Swivel
	MOBX90B	0-Ring Boss Male Swivel - 90° Block Elbow
	MIX	SAE Inverted Flare Male Swivel
	MIX45	SAE Inverted Flare Male Swivel - 45° Elbow
	MIX90	SAE Inverted Flare Male Swivel - 90° Elbow
	FIX	SAE Inverted Flare Female Rigid
	MRNS	SAE Flareless Male Assembly
	HM	HoseMender
SP	Imperial Standpipe	
Oil & Gas	FHU1502	Female Hamer Union 1502
	MHU1502	Male Hamer Union 1502
Grease	FG	Female Grease

STYLE	SERIES	DESCRIPTION
JIS	FJIS	JIS Female Swivel (Toyota)
	FJIS90	JIS Female Swivel (Toyota) - 90° Elbow
	FK	Komatsu Female Swivel
	FK45	Komatsu Female Swivel - 45° Elbow
	FK90	Komatsu Female Swivel - 90° Elbow
	FLK	Komatsu Flange
	FLK45	Komatsu Flange - 45° Elbow
	FLK90	Komatsu Flange - 90° Elbow
	MKBC	Kobelco Male
BSP	MBSPT	BSPT Male
	MBSPP	BSPP Male
	FBSPP	BSPP Female Swivel
	FBSPP45	BSPP Female Swivel - 45° Elbow
	FBSPP90	BSPP Female Swivel - 90° Elbow
	FBSPP90B	BSPP Female Swivel - 90° Block Elbow
	FBSPFF	BSP Female Swivel Flat Face
	MBSPPFF	BSP Male Flat Face
	BJBSP	BSP Banjo
	BJBSPBT	BSP Banjo Bolt
Metric	SPML	METRIC Standpipe Light
	SPML45	METRIC Standpipe Light - 45° Elbow
	SPML90	METRIC Standpipe Light - 90° Elbow
	BJM	METRIC Banjo
	BJMBT	METRIC Banjo Bolt
	MML	METRIC 24° Male Light - (CEL)
	FML	METRIC 24° Female Light - (DKOL)
	FML45	METRIC 24° Female Light - 45° Elbow (DKOL)
	FML90	METRIC 24° Female Light - 90° Elbow (DKOL)
	MMS	METRIC 24° Male Heavy - (CES)
	FMS	METRIC 24° Female Heavy - (DKOS)
	FMS45	METRIC 24° Female Heavy - 45° Elbow (DKOS)
	FMS90	METRIC 24° Female Heavy - 90° Elbow (DKOS)
	MGAZ	French Metric Male GAZ
	FGAZ	French Metric Female GAZ
CODE 61 Flange	FL	Code 61 Flange
	FL22	Code 61 Flange - 22° Elbow
	FL30	Code 61 Flange - 30° Elbow
	FL45	Code 61 Flange - 45° Elbow
	FL60	Code 61 Flange - 60° Elbow
	FL67	Code 61 Flange - 67° Elbow
	FL90	Code 61 Flange - 90° Elbow
	FL100	Code 61 Flange - 100° Elbow
	FL110	Code 61 Flange - 110° Elbow
	FL135	Code 61 Flange - 135° Elbow
	LET	Code 61 Captive Flange - 5,000 psi
	LET45	Code 61 Captive Flange - 45° Elbow - 5,000 psi
	LET90	Code 61 Captive Flange - 90° Elbow - 5,000 psi

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

STYLE	SERIES	DESCRIPTION
CODE 62 Flange	FLH	Code 62 Flange
	FLH22	Code 62 Flange - 22° Elbow
	FLH30	Code 62 Flange - 30° Elbow
	FLH45	Code 62 Flange - 45° Elbow
	FLH60	Code 62 Flange - 60° Elbow
	FLH67	Code 62 Flange - 67° Elbow
	FLH90	Code 62 Flange - 90° Elbow
CAT® Flange	FLC	CAT Flange
	FLC22	CAT Flange - 22° Elbow
	FLC30	CAT Flange - 30° Elbow
	FLC45	CAT Flange - 45° Elbow
	FLC60	CAT Flange - 60° Elbow
	FLC67	CAT Flange - 67° Elbow
	FLC90	CAT Flange - 90° Elbow
O&K Flange	FLOKA	O&K Flange
	FLOKA22	O&K Flange- 22° Elbow
	FLOKA45	O&K Flange - 45° Elbow
	FLOKA90	O&K Flange- 90° Elbow
	OKBR	FLOKA Crimp Strain Relief
AIR CONDITIONING	BTF	Bumped Tube O-Ring Female Swivel
	BTF-P	Bumped Tube O-Ring Female Swivel (R134a Service Port)
	BTF45	Bumped Tube O-Ring Female Swivel - 45° Elbow
	BTF45-P	Bumped Tube O-Ring Female Swivel - 45° Elbow (R134a Service Port)
	BTF90	Bumped Tube O-Ring Female Swivel - 90° Elbow
	BTF90-P	Bumped Tube O-Ring Female Swivel - 90° Elbow (R134a Service Port)
	BTM	Bumped Tube O-Ring Male Swivel
	BTM45	Bumped Tube O-Ring Male Swivel - 45° Elbow
	BTM90	Bumped Tube O-Ring Male Swivel - 90° Elbow
	BTM90-P	Bumped Tube O-Ring Male Swivel - 90° Elbow (R134a Service Port)
	IOM	Insert O-Ring Male
	IOM90	Insert O-Ring Male - 90° Elbow
	HM-P	Hose Mender (R134a Service Port)
	BS	Braze Socket
	ACF	Air Conditioning Ferrule
	ACO	Air Conditioning O-Ring
Pressure Wash	MPWK	Pressure Wash Gun End - K
	FPWK	Metric Pressure Wash Swivel - K

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.