

# Clamps

## SPIRAL BOLT CLAMPS



CLOCKWISE / RIGHT HAND

Part Number	Hose ID
SBC-200	2"
SBC-250	2-1/2"
SBC-300	3"
SBC-400	4"
SBC-500	5"
SBC-600	6"
SBC-800	8"
SBC-1000	10"
SBC-1200	12"

COUNTER-CLOCKWISE / LEFT HAND

Part Number	Hose ID
SBCK-200	2"
SBCK-250	2-1/2"
SBCK-300	3"
SBCK-400	4"
SBCK-500	5"
SBCK-600	6"
SBCK-800	8"
SBCK-1000	10"

## DUCTING / BRIDGE CLAMPS



CLOCKWISE / RIGHT HAND

Part Number	Hose ID
DC-2.5	2-1/2"
DC-3.0	3"
DC-4.0	4"
DC-5.0	5"
DC-6.0	6"
DC-7.0	7"
DC-8.0	8"
DC-10.0	10"
DC-12.0	12"

COUNTER-CLOCKWISE / LEFT HAND

Part Number	Hose ID
DCK-2.5	2-1/2"
DCK-3.0	3"
DCK-4.0	4"
DCK-5.0	5"
DCK-6.0	6"
DCK-7.0	7"
DCK-8.0	8"
DCK-10.0	10"
DCK-12.0	12"

## DOUBLE BOLT CLAMPS



Part Number	From OD	To OD
DBC-400	3-1/2"	4"
DBC-463	4-1/16"	4-7/16"
DBC-525	4-1/16"	5"
DBC-550	5"	5-1/2"
DBC-600	5-1/2"	6-1/16"
DBC-675	6-1/8"	6-7/8"

Part Number	From OD	To OD
DBC-769	6-15/16"	7-5/8"
DBC-818	7-11/16"	8-3/16"
DBC-875	8-1/4"	8-7/8"
DBC-988	8-15/16"	9-7/8"
DBC-1125	9-15/16"	11-3/8"
DBC-1275	11-3/8"	13"

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

## PREFORMED PUNCH-TYPE CLAMPS



Made to slide on hose before tightening. Double wrapped and formed to a given diameter size. To order, measure the outside diameter of the hose with its fitting inserted. Then select the next larger clamp diameter.

### GALVANIZED CARBON STEEL

Part Number	Band Width	Clamp ID	Standard Package
P-3	3/8"	13/16	100
P-311	3/8"	1-3/8	100
P-4	5/8"	1	100
P-5	5/8"	1-1/4	100
P-6	5/8"	1-1/2	100
P-7	5/8"	1-3/4	100
P-8	5/8"	2	100
P-9	5/8"	2-1/4	100
P-10	5/8"	2-1/2	50
P-11	5/8"	2-3/4	50
P-12	5/8"	3	50
P-14	5/8"	3-1/2	50
P-16	5/8"	4	25
P-18	5/8"	4-1/2	25
P-20	5/8"	5	25
P-24	5/8"	6	25
P-28	5/8"	7	50
P-32	5/8"	8	50

### STAINLESS STEEL

Part Number	Band Width	Clamp ID	Standard Package
P-3-SS	3/8"	13/16	100
P-311-SS	3/8"	1-3/8	100
P-4-SS	5/8"	1	100
P-5-SS	5/8"	1-1/4	100
P-6-SS	5/8"	1-1/2	100
P-7-SS	5/8"	1-3/4	100
P-8-SS	5/8"	2	100
P-9-SS	5/8"	2-1/4	100
P-10-SS	5/8"	2-1/2	50
P-11-SS	5/8"	2-3/4	50
P-12-SS	5/8"	3	50
P-14-SS	5/8"	3-1/2	50
P-16-SS	5/8"	4	25
P-18-SS	5/8"	4-1/2	25
P-20-SS	5/8"	5	25
P-24-SS	5/8"	6	25
P-28-SS	5/8"	7	50
P-32-SS	5/8"	8	50



Part Number	Item Description
P-1000	Punch Lock Tool

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

# Clamps

## STRAPPING AND BUCKLES



### TOOL

Part Number	Item Description
PB-001	Banding Tool



### STRAPPING - 201 STAINLESS

Part Number	Size (in)	Gauge (in)	Package	Pack Quantity
PB204	1/2	0.030	Box	100'
PB205	5/8	0.030	Box	100'
PB206	3/4	0.030	Box	100'



### BUCKLE - 201 STAINLESS

Part Number	Size (in)	Box Quantity
PB254	1/2	100
PB255	5/8	100
PB256	3/4	100

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

## HD T-BOLT CLAMPS



STAINLESS STEEL WITH  
PLATED STEEL SCREW.

Part Number	Range		Max Torque	Max WP	Box Quantity
	mm	in	ft/lbs	psi	
W2-17-19	17 - 19	1 <sup>1</sup> / <sub>16</sub> - 3/4	7.4	652	50
W2-19-21	19 - 21	3/4 - 13 <sup>1</sup> / <sub>16</sub>	7.4	652	50
W2-21-23	21 - 23	13 <sup>1</sup> / <sub>16</sub> - 29 <sup>1</sup> / <sub>32</sub>	7.4	652	50
W2-23-25	23 - 25	29 <sup>1</sup> / <sub>32</sub> - 1	7.4	652	50
W2-25-27	25 - 27	1 - 1-1 <sup>1</sup> / <sub>16</sub>	7.4	652	50
W2-27-29	27 - 29	1-1 <sup>1</sup> / <sub>16</sub> - 1-5 <sup>1</sup> / <sub>32</sub>	7.4	652	50
W2-29-31	29 - 31	1-5 <sup>1</sup> / <sub>32</sub> - 1-7 <sup>1</sup> / <sub>32</sub>	9.6	580	50
W2-31-34	31 - 34	1-7 <sup>1</sup> / <sub>32</sub> - 1-5 <sup>1</sup> / <sub>16</sub>	9.6	580	50
W2-34-37	34 - 37	1-5 <sup>1</sup> / <sub>16</sub> - 1-7 <sup>1</sup> / <sub>16</sub>	9.6	580	50
W2-37-40	37 - 40	1-7 <sup>1</sup> / <sub>16</sub> - 1-9 <sup>1</sup> / <sub>16</sub>	9.6	580	50
W2-40-43	40 - 43	1-9 <sup>1</sup> / <sub>16</sub> - 1-11 <sup>1</sup> / <sub>16</sub>	9.6	580	50
W2-43-47	43 - 47	1-11 <sup>1</sup> / <sub>16</sub> - 1-27 <sup>1</sup> / <sub>32</sub>	11.8	522	50
W2-47-51	47 - 51	1-27 <sup>1</sup> / <sub>32</sub> - 2	11.8	522	50
W2-51-55	51 - 55	2 - 2-5 <sup>1</sup> / <sub>32</sub>	11.8	522	25
W2-55-59	55 - 59	2-5 <sup>1</sup> / <sub>32</sub> - 2-5 <sup>1</sup> / <sub>16</sub>	11.8	522	25
W2-59-63	59 - 63	2-5 <sup>1</sup> / <sub>16</sub> - 2-15 <sup>1</sup> / <sub>32</sub>	11.8	522	25
W2-63-68	63 - 68	2-15 <sup>1</sup> / <sub>32</sub> - 2-11 <sup>1</sup> / <sub>16</sub>	11.8	522	25
W2-68-73	68 - 73	2-11 <sup>1</sup> / <sub>16</sub> - 2-7 <sup>1</sup> / <sub>8</sub>	22.1	406	25
W2-73-79	73 - 79	2-7 <sup>1</sup> / <sub>8</sub> - 3-3 <sup>1</sup> / <sub>32</sub>	22.1	406	25
W2-79-85	79 - 85	3-3 <sup>1</sup> / <sub>32</sub> - 3-5 <sup>1</sup> / <sub>16</sub>	22.1	406	25
W2-85-91	85 - 91	3-5 <sup>1</sup> / <sub>16</sub> - 3-9 <sup>1</sup> / <sub>16</sub>	22.1	290	25
W2-91-97	91 - 97	3-9 <sup>1</sup> / <sub>16</sub> - 3-13 <sup>1</sup> / <sub>16</sub>	22.1	290	25
W2-97-104	97 - 104	3-13 <sup>1</sup> / <sub>16</sub> - 4-3 <sup>1</sup> / <sub>32</sub>	22.1	290	25
W2-104-112	104 - 112	4-3 <sup>1</sup> / <sub>32</sub> - 4-3 <sup>1</sup> / <sub>8</sub>	22.1	174	25
W2-112-121	112 - 121	4-3 <sup>1</sup> / <sub>8</sub> - 4-3 <sup>1</sup> / <sub>4</sub>	22.1	174	25
W2-121-130	121 - 130	4-3 <sup>1</sup> / <sub>4</sub> - 5-1 <sup>1</sup> / <sub>8</sub>	22.1	174	25
W2-125-135	125 - 135	4-15 <sup>1</sup> / <sub>16</sub> - 5-5 <sup>1</sup> / <sub>16</sub>	22.1	174	25
W2-130-140	130 - 140	5-1 <sup>1</sup> / <sub>8</sub> - 5-1 <sup>1</sup> / <sub>2</sub>	33.2	130	10
W2-140-150	140 - 150	5-1 <sup>1</sup> / <sub>2</sub> - 5-7 <sup>1</sup> / <sub>8</sub>	33.2	130	10
W2-150-162	150 - 162	5-7 <sup>1</sup> / <sub>8</sub> - 6-3 <sup>1</sup> / <sub>8</sub>	33.2	130	10
W2-162-174	162 - 174	6-3 <sup>1</sup> / <sub>8</sub> - 6-7 <sup>1</sup> / <sub>8</sub>	33.2	87	10
W2-174-187	174 - 187	6-7 <sup>1</sup> / <sub>8</sub> - 7-3 <sup>1</sup> / <sub>8</sub>	33.2	87	10
W2-187-200	187 - 200	7-3 <sup>1</sup> / <sub>8</sub> - 7-7 <sup>1</sup> / <sub>8</sub>	33.2	87	10
W2-200-213	200 - 213	7-7 <sup>1</sup> / <sub>8</sub> - 8-3 <sup>1</sup> / <sub>8</sub>	33.2	43	10
W2-213-226	213 - 226	8-3 <sup>1</sup> / <sub>8</sub> - 8-7 <sup>1</sup> / <sub>8</sub>	33.2	43	10
W2-226-239	226 - 239	8-7 <sup>1</sup> / <sub>8</sub> - 9-3 <sup>1</sup> / <sub>8</sub>	33.2	43	10
W2-239-252	239 - 252	9-3 <sup>1</sup> / <sub>8</sub> - 9-7 <sup>1</sup> / <sub>8</sub>	33.2	43	10
W2-252-265	252 - 265	9-15 <sup>1</sup> / <sub>16</sub> - 10-7 <sup>1</sup> / <sub>16</sub>	33.2	43	10
W2-265-278	265 - 278	10-7 <sup>1</sup> / <sub>16</sub> - 10-29 <sup>1</sup> / <sub>32</sub>	33.2	43	10
W2-291-304	291 - 304	11-15 <sup>1</sup> / <sub>32</sub> - 11-31 <sup>1</sup> / <sub>32</sub>	33.2	43	10
W2-317-330	317 - 330	12-7 <sup>1</sup> / <sub>16</sub> - 13	33.2	43	10
W2 DIS-PLAY-01	20" x 30"	W2 DISPLAY	--	--	

\* For all stainless use W4.

# Clamps

## CONSTANT TENSION



STAINLESS STEEL WITH  
PLATED STEEL SCREW.

Part Number	Range		Max Torque	Max WP	Box Quantity
	mm	in	ft/lbs	psi	
W2-CT-17-19	17 - 19	1 <sup>1</sup> / <sub>16</sub> - 3 <sup>3</sup> / <sub>4</sub>	3.3	652	50
W2-CT-19-21	19 - 21	3 <sup>3</sup> / <sub>4</sub> - 13 <sup>1</sup> / <sub>16</sub>	3.3	652	50
W2-CT-21-23	21 - 23	13 <sup>1</sup> / <sub>16</sub> - 29 <sup>2</sup> / <sub>32</sub>	3.3	652	50
W2-CT-23-25	23 - 25	29 <sup>2</sup> / <sub>32</sub> - 1	3.3	652	50
W2-CT-25-27	25 - 27	1 - 1-1 <sup>1</sup> / <sub>16</sub>	3.3	652	50
W2-CT-27-29	27 - 29	1-1 <sup>1</sup> / <sub>16</sub> - 1-5 <sup>1</sup> / <sub>32</sub>	3.3	652	50
W2-CT-29-31	29 - 31	1-5 <sup>1</sup> / <sub>32</sub> - 1-7 <sup>1</sup> / <sub>32</sub>	5.9	609	50
W2-CT-31 -34	31 - 34	1-7 <sup>1</sup> / <sub>32</sub> - 1-5 <sup>1</sup> / <sub>16</sub>	5.9	609	50
W2-CT-34-37	34 - 37	1-5 <sup>1</sup> / <sub>16</sub> - 1-7 <sup>1</sup> / <sub>16</sub>	5.9	580	50
W2-CT-37-40	37 - 40	1-7 <sup>1</sup> / <sub>16</sub> - 1-9 <sup>1</sup> / <sub>16</sub>	5.9	580	50
W2-CT-40-43	40 - 43	1-9 <sup>1</sup> / <sub>16</sub> - 1-11 <sup>1</sup> / <sub>16</sub>	5.9	551	50
W2-CT-43-47	43 - 47	1-11 <sup>1</sup> / <sub>16</sub> - 1-27 <sup>1</sup> / <sub>32</sub>	7.4	551	50
W2-CT-47-51	47 - 51	1-27 <sup>1</sup> / <sub>32</sub> - 2	7.4	522	50
W2-CT-51-55	51 - 55	2 - 2-5 <sup>1</sup> / <sub>32</sub>	7.4	522	50
W2-CT-55-59	55 - 59	2-5 <sup>1</sup> / <sub>32</sub> - 2-5 <sup>1</sup> / <sub>16</sub>	7.4	493	25
W2-CT-59-63	59 - 63	2-5 <sup>1</sup> / <sub>16</sub> - 2-15 <sup>1</sup> / <sub>32</sub>	7.4	493	25
W2-CT-63-68	63 - 68	2-15 <sup>1</sup> / <sub>32</sub> - 2-11 <sup>1</sup> / <sub>16</sub>	7.4	493	25
W2-CT-68-73	68 - 73	2-11 <sup>1</sup> / <sub>16</sub> - 2-7 <sup>1</sup> / <sub>8</sub>	18.4	406	25
W2-CT-73-79	73 - 79	2-7 <sup>1</sup> / <sub>8</sub> - 3-3 <sup>1</sup> / <sub>32</sub>	18.4	406	25
W2-CT-79-85	79 - 85	3-3 <sup>1</sup> / <sub>32</sub> - 3-5 <sup>1</sup> / <sub>16</sub>	18.4	406	25
W2-CT-85-91	85 - 91	3-5 <sup>1</sup> / <sub>16</sub> - 3-9 <sup>1</sup> / <sub>16</sub>	18.4	290	25
W2-CT-91-97	91 - 97	3-9 <sup>1</sup> / <sub>16</sub> - 3-13 <sup>1</sup> / <sub>16</sub>	18.4	290	25
W2-CT-97-104	97 - 104	3-13 <sup>1</sup> / <sub>16</sub> - 4-3 <sup>1</sup> / <sub>32</sub>	18.4	290	25
W2-CT-104-112	104 - 112	4-3 <sup>1</sup> / <sub>32</sub> - 4-3 <sup>1</sup> / <sub>8</sub>	18.4	174	25
W2-CT-112-121	112 - 121	4-3 <sup>1</sup> / <sub>8</sub> - 4-3 <sup>1</sup> / <sub>4</sub>	18.4	174	25
W2-CT-121-130	121 - 130	4-3 <sup>1</sup> / <sub>4</sub> - 5-1 <sup>1</sup> / <sub>8</sub>	18.4	174	25
W2-CT-130-140	130 - 140	5-1 <sup>1</sup> / <sub>8</sub> - 5-1 <sup>1</sup> / <sub>2</sub>	36.8	130	10
W2-CT-140-150	140 - 150	5-1 <sup>1</sup> / <sub>2</sub> - 5-7 <sup>1</sup> / <sub>8</sub>	36.8	130	10
W2-CT-150-162	150 - 162	5-7 <sup>1</sup> / <sub>8</sub> - 6-3 <sup>1</sup> / <sub>8</sub>	36.8	130	10
W2-CT-162-174	162 - 174	6-3 <sup>1</sup> / <sub>8</sub> - 6-7 <sup>1</sup> / <sub>8</sub>	36.8	87	10
W2-CT-174-187	174 - 187	6-7 <sup>1</sup> / <sub>8</sub> - 7-3 <sup>1</sup> / <sub>8</sub>	36.8	87	10
W2-CT-187-200	187 - 200	7-3 <sup>1</sup> / <sub>8</sub> - 7-7 <sup>1</sup> / <sub>8</sub>	36.8	87	10
W2-CT-200-213	200 - 213	7-7 <sup>1</sup> / <sub>8</sub> - 8-3 <sup>1</sup> / <sub>8</sub>	36.8	43	10
W2-CT-213-226	213 - 226	8-3 <sup>1</sup> / <sub>8</sub> - 8-7 <sup>1</sup> / <sub>8</sub>	36.8	43	10

\* For all stainless use W4.

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

## WORM GEAR ASFA - L (9mm band)



STAINLESS STEEL WITH  
PLATED STEEL SCREW.

## WORM GEAR ASFA - S (12mm band)



STAINLESS STEEL WITH  
PLATED STEEL SCREW.

Part Number	Range		Max Torque ft/lbs	Max WP psi
	mm	in		
W2-AL-8-12	8 - 12	0.31 - 0.47	1.1	400
W2-AL-8-16	8 - 16	0.31 - 0.63	2.2	400
W2-AL-12-22	12 - 22	0.47 - 0.87	2.2	400
W2-AL-16-27	16 - 27	0.63 - 1.06	2.6	400
W2-AL-20-32	20 - 32	0.79 - 1.26	2.6	400
W2-AL-25-40	25 - 40	0.98 - 1.57	3.0	400
W2-AL-30-45	30 - 45	1.18 - 1.77	3.0	400
W2-AL-32-50	32 - 50	1.26 - 1.97	3.0	340
W2-AL-40-60	40 - 60	1.57 - 2.36	3.0	270
W2-AL-50-70	50 - 70	1.97 - 2.76	3.0	240
W2-AL-60-80	60 - 80	2.36 - 3.15	3.0	200
W2-AL-70-90	70 - 90	2.76 - 3.54	3.0	180
W2-AL-80-100	80 - 100	3.15 - 3.94	3.0	160
W2-AL-90-110	90 - 110	3.54 - 4.33	3.0	145
W2-AL-100-120	100 - 120	3.94 - 4.72	3.0	130
W2-AL-110-130	110 - 130	4.33 - 5.12	3.0	100
W2-AL-120-140	120 - 140	4.72 - 5.51	3.0	90
W2-AL-130-150	130 - 150	5.12 - 5.91	3.0	70
W2-AL-140-160	140 - 160	5.51 - 6.30	3.0	60

Part Number	Range		Max Torque ft/lbs	Max WP psi
	mm	in		
--	--	--	--	--
--	--	--	--	--
--	--	--	--	--
W2-AS-16-27	16 - 27	0.63 - 1.06	3.1	500
W2-AS-20-32	20 - 32	0.79 - 1.26	3.8	500
W2-AS-25-40	25 - 40	0.98 - 1.57	3.8	500
W2-AS-30-45	30 - 45	1.18 - 1.77	3.8	500
W2-AS-32-50	32 - 50	1.26 - 1.97	4.4	500
W2-AS-40-60	40 - 60	1.57 - 2.36	4.4	400
W2-AS-50-70	50 - 70	1.97 - 2.76	5.0	350
W2-AS-60-80	60 - 80	2.36 - 3.15	5.0	280
W2-AS-70-90	70 - 90	2.76 - 3.54	5.0	240
W2-AS-80-100	80 - 100	3.15 - 3.94	5.0	200
W2-AS-90-110	90 - 110	3.54 - 4.33	5.0	170
W2-AS-100-120	100 - 120	3.94 - 4.72	5.0	145
W2-AS-110-130	110 - 130	4.33 - 5.12	5.0	110
W2-AS-120-140	120 - 140	4.72 - 5.51	5.0	100
W2-AS-130-150	130 - 150	5.12 - 5.91	5.0	80
W2-AS-140-160	140 - 160	5.51 - 6.30	5.0	70

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

## MICRO GEAR CLAMPS



STAINLESS STEEL WITH  
PLATED STEEL SCREW

Part Number	Min	Max	Standard Package
GCM-04	¼"	⅝"	10
GCM-06	⅝"	⅞"	10
GCM-08	⅞"	1"	10
GCM-10	½"	1-⅛"	10
GCM-12	⅝"	1-¼"	10

ALL STAINLESS STEEL

Part Number	Min	Max	Standard Package
GCMS-04	¼"	⅝"	10
GCMS-06	⅝"	⅞"	10
GCMS-08	⅞"	1"	10
GCMS-10	½"	1-⅛"	10
GCMS-12	⅝"	1-¼"	10

## WORM GEAR CLAMPS



STAINLESS STEEL WITH PLATED STEEL SCREW

Part Number	Min	Max	Standard Package
GC-06	⅜"	⅞"	10
GC-08	⅞"	1"	10
GC-10	⅝"	1-⅛"	10
GC-12	⅝"	1-¼"	10
GC-16	1⅛"	1-½"	10
GC-20	¾"	1-¾"	10
GC-24	1-⅛"	2"	10
GC-28	1-⅝"	2-¼"	10
GC-32	1-½"	2-½"	10
GC-36	1-¾"	2-¾"	10
GC-40	2"	3"	10
GC-44	2-¼"	3-¼"	10
GC-48	2-½"	3-½"	10
GC-52	2-¾"	3-¾"	10
GC-56	3"	4"	10
GC-60	3"	4-¼"	10
GC-64	3-½"	4-½"	10
GC-72	4"	5"	10
GC-84	3-½"	5-½"	10
GC-88	4"	6"	10
GC-96	4-½"	6-½"	10
GC-104	5"	7"	10

ALL STAINLESS STEEL

Part Number	Min	Max	Standard Package
GCS-06	⅜"	⅞"	10
GCS-08	⅞"	1"	10
GCS-10	½"	1-⅛"	10
GCS-12	½"	1-¼"	10
GCS-16	1⅛"	1-½"	10
GCS-20	¾"	1-¾"	10
GCS-24	1"	2"	10
GCS-28	1-¼"	2-¼"	10
GCS-32	1-½"	2-½"	10
GCS-36	1-¾"	2-¾"	10
GCS-40	2"	3"	10
GCS-44	2-¼"	3-¼"	10
GCS-48	2-½"	3-½"	10
GCS-52	2-¾"	3-¾"	10
GCS-56	3"	4"	10
GCS-60	3"	4-¼"	10
GCS-64	3-½"	4-½"	10
GCS-72	4"	5"	10
GCS-84	3-½"	5-½"	10
GCS-88	4"	6"	10
GCS-96	4-½"	6-½"	10
GCS-104	5"	7"	10

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

## WORM GEAR CLAMPS



STAINLESS STEEL WITH PLATED STEEL SCREW

Part Number	Min	Max	Standard Package
GC-128	5-5/8"	8-1/2"	1
GC-152	7-1/8"	10"	1
GC-188	9-3/8"	12-1/4"	1
GC-200	10-1/8"	13"	1
GC-212	10-7/8"	13-3/4"	1
GC-224	11-5/8"	14-1/2"	1
GC-236	12-3/8"	15-1/4"	1
GC-248	13-1/8"	16"	1
GC-312	17-1/8"	20"	1

ALL STAINLESS STEEL

Part Number	Min	Max	Standard Package
GCS-128	5-5/8"	8-1/2"	1
GCS-152	7-1/8"	10"	1
GCS-188	9-3/8"	12-1/4"	1
GCS-200	10-1/8"	13"	1
GCS-212	10-7/8"	13-3/4"	1
GCS-224	11-5/8"	14-1/2"	1
GCS-236	12-3/8"	15-1/4"	1
GCS-248	13-1/8"	16"	1
GCS-312	17-1/8"	20"	1

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.



## OETIKER 2-EAR CLAMPS



Part Number	Nominal Size	ID Close	ID Open
		in	in
0041	5/32"	0.122	0.161
0045	11/64"	0.138	0.177
0305	3/6"	0.118	0.197
0507	1/4"	0.197	0.276
0709	5/16"	0.276	0.354
0811	3/8"	0.315	0.433
0911	7/16"	0.354	0.433
1113	1/2"	0.433	0.512
1315	9/16"	0.512	0.591
1517	19/32"	0.591	0.669
1518	5/8"	0.591	0.708
1720	3/4"	0.669	0.787
1922	13/16"	0.746	0.866
2023	7/8"	0.787	0.905
2225	15/16"	0.866	0.984
2327	1"	0.905	1.063
2528	1 - 1/16"	0.984	1.012
2731	1 - 1/8"	1.063	1.220
2831	1 - 3/16"	1.102	1.220
3134	1 - 5/16"	1.220	1.339
3437	1 - 7/16"	1.339	1.457
3740	1 - 1/2"	1.457	1.575
4043	1 - 5/8"	1.575	1.693
4346	1 - 3/4"	1.693	1.811



### STANDARD PINCERS

Part Number
1098

### SIDE PINCERS

Part Number
1099

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.