


FORSAFLEX[®]

HYDRAULIC HOSE BROCHURE



www.forsaflex.com



FORSAFLEX® is your single source provider of premium hydraulic and industrial products. Our materials, technology and engineering expertise offers an applications-driven approach tailored to solve your hose and fitting needs.

Our extensive range of ISO compliant hose and fitting products have been established with technological know-how and decades of research working with OEM and end-user partners to develop and deliver innovative engineered solutions. **FORSAFLEX®** strives to be a single source provider for a diverse range of industries including oil & gas, forestry, mining, construction, agriculture, transportation, pressure washing, food processing, material handling and many more. Reliable product availability is ensured through an authorized distributor network able to deliver quickly.



The **FORSAFLEX®** brand of hydraulic products are designed to surpass your extreme applications and demanding environments with maximum dependability. Our products are built to meet or exceed recognized international standards and approvals set by SAE, ISO, JIS, DIN, and ASTM to ensure advanced safety and compatibility.





FORSAFLEX® offers a wide and durable range of crimping equipment to complement the line and provide a safe and simple solution for assembly and productivity.

Our commitment to performance, innovation, reliability and a customer focused methodology provides an experience and assurance targeted at providing you with opportunity, growth and overall satisfaction.



FORSAFLEX®

“Strength Under Pressure”

<p>BN120 1SN One Wire Braid - Smooth 3/18" - 2"</p>	 <p>FORSAFLEX® BN120</p> <p>E-N-W Series Couplings</p>	<p>BN200 2SN Two Wire Braid - Smooth 1/4" - 2"</p>	 <p>FORSAFLEX® BN200</p> <p>E-N-W Series Couplings</p>
<p>BN160 100R17 One/Two Wire Braid - Smooth 1/4" - 1"</p>	 <p>FORSAFLEX® BN160</p> <p>E-W Series Couplings</p>	<p>BN175 100R17 One/Two Wire Braid - Wrapped 1/4" - 1/2"</p>	 <p>FORSAFLEX® BN175</p> <p>E-W Series Couplings</p>
<p>BN250 2SC Two Wire Braid - Smooth 1/4" - 3"</p>	 <p>FORSAFLEX® BN250</p> <p>E-N-W Series Couplings</p>	<p>BN330 3SC Three Wire Braid - Wrapped 3/8" - 1"</p>	 <p>FORSAFLEX® BN330</p> <p>E-N-W Series Couplings</p>
<p>BN300 2SC Two Wire 1/4" - 1" Smooth 1-1/4" - 2" Wrapped</p>	 <p>FORSAFLEX® BN300</p> <p>E-N-W Series Couplings</p> <p>EXTENDED SERVICE</p>	<p>BN350 2SC Two Wire 1/4" - 1" Smooth</p>  <p>Half Radius</p>	 <p>FORSAFLEX® BN350</p> <p>E-N-W Series Couplings</p> <p>EXTENDED SERVICE</p>
<p>BN170T Compact One Wire Twinline - Smooth 3/8"</p>	 <p>FORSAFLEX® BN170</p> <p>FORSAFLEX® BN170</p> <p>E-W Series Couplings</p>	<p>BN270T Compact Two Wire Twinline - Smooth 3/8" - 1/2"</p>	 <p>FORSAFLEX® BN270</p> <p>FORSAFLEX® BN270</p> <p>E-W Series Couplings</p>
<p>SN300 Exceeds 100R12 3/8" - 2"</p>	 <p>FORSAFLEX® SN300</p> <p>N-W-VVS Series Couplings</p> <p>EXTENDED SERVICE</p>	<p>SN650 100R15 Standard 3/4" - 1-1/4"</p>	 <p>FORSAFLEX® SN650</p> <p>VVS-X Series Couplings</p> <p>EXTENDED SERVICE</p>
<p>SZ400 4SP/4SH Four Wire 3/8" - 2"</p>	 <p>FORSAFLEX® SZ400</p> <p>E-W-N-VVS Series Couplings</p>	<p>SZ500 100R13 Six Wire 1-1/2" - 3"</p>	 <p>FORSAFLEX® SZ500</p> <p>VS Series Couplings</p>
<p>SZ600 100R15 Compact 3/4" - 2"</p>	 <p>FORSAFLEX® SZ600</p> <p>VVS-X Series Couplings</p> <p>EXTENDED SERVICE</p>		

Braided















Spiral

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.













Hose

Pressure Wash

Thermoplastic

<p>Pressure Wash 4B 4,000 PSI - Smooth 3/8"</p>  <p>FORSAFLEX® PW4B</p> <p>E-W Series Couplings</p>	<p>Pressure Wash 4Y 4,000 PSI - Smooth 3/8"</p>  <p>FORSAFLEX® PW4Y</p> <p>E-W Series Couplings</p> <p>ANIMAL FAT RESISTANT</p>
<p>Pressure Wash 6G 6,000 PSI - Smooth 3/8"</p>  <p>FORSAFLEX® PW6G</p> <p>E-W Series Couplings</p>	<p>Steam Cleaner SK20 Water - 6000 PSI Steam - 350 PSI 3/8" and 1/2"</p>  <p>FORSAFLEX® SK20</p> <p>SK Series Couplings</p>
<p>Water Blast WB10 - 20 10,000 - 20,000 PSI 3/8" - 1"</p>  <p>DUNLOP</p> <p>DUNLOP</p> <p>DUNLOP</p>	<p>SCH Sewer Cleaning Hose</p>  <p>FORSAFLEX® SCH-2500</p> <p>FORSAFLEX® SCH-3000</p> <p>P Series Couplings</p>
<p>720 100R7 - 100R18 1/8" - 1/2"</p>  <p>FORSAFLEX® 720</p> <p>T-P Coupling Series</p>	<p>721 Low Temperature Thermoplastic 3/4"</p>  <p>FORSAFLEX® 721</p> <p>390N Coupling Series</p>
<p>711 100R7 Non-Conductive 1/4" - 1/2"</p>  <p>FORSAFLEX® 711</p> <p>T-P Coupling Series</p>	<p>711T 100R7 Non-Conductive Twinline 1/4" - 1/2"</p>  <p>FORSAFLEX® 711T</p> <p>FORSAFLEX® 711T</p> <p>T-P Coupling Series</p>
<p>22NC Rubber Non-Conductive 1/4" - 3/8"</p>  <p>FORSAFLEX® 22NC</p> <p>AF Coupling Series</p>	<p>725 One Wire Paint Hose 1/4" - 3/8"</p>  <p>FORSAFLEX® PAINT SPRAY 725</p> <p>T-W Coupling Series</p>
<p>MTKM 10,150 PSI Thermoplastic 3/8"</p>  <p>MTKM 10,150 PSI</p> <p>BP38MTKM Coupling Series</p>	<p>BA30 Breathing Air Hose 1/4"</p>  <p>FORSAFLEX® BA30</p> <p>T-P Coupling Series</p>

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

<p>HN 100R4 - Compact Suction 3/4" - 3-1/2"</p>	 E-N-W Series Couplings	<p>HXP 100R4 - Standard Suction 3/4" - 2"</p>	 E-N-W Series Couplings
<p>FN 100R5 High Temp Hose 3/16" - 1-13/16"</p>	 F-5R Series Couplings	<p>PL10 Push Lock 300 PSI 1/4" - 1"</p>	 PL-AF Series Couplings
<p>AB10 DOT Air Brake Hose 3/8" - 1/2"</p>	 E-N-W Series Couplings	<p>ZN Air Conditioning Standard Barrier 5/16" - 5/8"</p>	 Z Series Couplings
<p>HJ150 Hydraulic Jack 1/4" - 3/8"</p>	 E-W Series Couplings	<p>FS100 1SN Fire Suppression Hose 1/4" - 1"</p>	 E-W Series Couplings
<p>TBR Stainless Teflon Smooth Bore 3/16" - 1"</p>	 T-W Series Couplings	<p>TBX Stainless Teflon Smooth / Convoluted 3/8" - 1-1/4"</p>	 T Series Couplings
<p>AH10 EPDM 300 PSI 3/8" - 1-1/2"</p>	 AF Series Couplings	<p>AH15 Jackhammer 300 PSI 3/4"</p>	 AF Series Couplings

Miscellaneous

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

W Series

Hose Type: BN120, BN160, BN175, BN200, BN250, BN300, BN330, BN350, SN300, SZ400

Standards: 1SN, 2SN, 2SC, R17, 4 Spiral Hoses

Material: Carbon Steel and 316 Stainless Steel

Plating: Trivalent Zinc with Clear Chromate

E Series

Hose Type: BN120, BN160, BN175, BN200, BN250, BN300, BN330, BN350, SZ400

Standards: 1SN, 2SN, 2SC, R17 Hoses

Material: Carbon Steel and 316 Stainless Steel

Plating: Trivalent Zinc with Clear Chromate

F Series

Hose Type: FN

Standards: SAE 100R5 Hose

Material: Carbon Steel

Plating: Trivalent Zinc with Clear Chromate

AF Series

Hose Type: PL10, AH10, AH15, 22NC

Standards: Air / Low Pressure Hoses

Material: Carbon Steel

Plating: Trivalent Zinc with Clear Chromate

T Series

Hose Type: 711, 711T, 720, 725, TBR

Standards: R7, R18, R14, Teflon, Thermoplastic

Material: Carbon Steel and 316 Stainless Steel

Plating: Trivalent Zinc with Clear Chromate

N Series

Hose Type: SN300, SZ400, BN200, BN250, BN300

Standards: 1SN, 2SN, 2SC, R12, 4SP, 4SH Hoses

Material: Carbon Steel

Plating: Trivalent Zinc with Clear Chromate

V - VS Series

Hose Type: SN300, SN600 (up to 1-1/2"), SN650, SZ400, SZ500, SZ600

Standards: R12, R13, R15, 4SH Hoses

Material: Carbon Steel

Plating: Trivalent Zinc with Clear Chromate

X Series

Hose Type: SN600, SZ400, SZ500, SZ600

Standards: R15

Material: Carbon Steel

Plating: Trivalent Zinc with Clear Chromate



W Series

E Series

F Series

AF Series





























T Series

N Series

V-VS Series





























X Series

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

 <p>MP NPT Male</p>	 <p>MPX NPT Male Swivel</p>	 <p>MPA NPT Male (API)</p>	 <p>MPX90B NPT Male Swivel - 90° Block</p>
 <p>FP NPT Female Rigid</p>	 <p>FPX NPSM 60° Female Swivel</p>	 <p>MJ JIC 37° Male</p>	 <p>FJ JIC 37° Female Swivel</p>
 <p>FJ45 JIC 37° Female Swivel - 45°</p>	 <p>FJ90B JIC 37° Female Swivel - 90° Block</p>	 <p>FJ90S JIC 37° Female Swivel - 90° Short</p>	 <p>FJ90M JIC 37° Female Swivel - 90° Medium</p>
 <p>FJ90L JIC 37° Female Swivel - 90° Long</p>	 <p>MF ORFS Male</p>	 <p>MFK ORFS Male Bulkhead</p>	 <p>FF ORFS Female Swivel</p>
 <p>FF45 ORFS Female Swivel - 45°</p>	 <p>FF90S ORFS Female Swivel - 90° Short</p>	 <p>FF90L ORFS Female Swivel - 90° Long</p>	 <p>MA SAE 45° Male</p>
 <p>FA SAE 45° Female Swivel</p>	 <p>FA45 SAE 45° Female Swivel - 45°</p>	 <p>FA90 SAE 45° Female Swivel - 90°</p>	 <p>MOB O-Ring Boss Male</p>
 <p>MOBX O-Ring Boss Male Swivel</p>	 <p>MOBX90B O-Ring Boss Male Swivel - 90° Block</p>	 <p>MIX SAE Inverted Flare Male Swivel</p>	 <p>MIX45 SAE Inverted Flare Male Swivel - 45°</p>

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

Couplings





























 <p>MIX90 SAE Inverted Flare Male Swivel - 90°</p>	 <p>MRNS SAE Flareless Compression</p>	 <p>HM Hose Mender</p>	 <p>FG Female Grease</p>
 <p>FJIS JIS Female Swivel (Toyota)</p>	 <p>FJIS90 JIS Female Swivel (Toyota) - 90°</p>	 <p>FK Komatsu Female Swivel</p>	 <p>FK45 Komatsu Female Swivel - 45°</p>
 <p>FK90 Komatsu Female Swivel - 90°</p>	 <p>FLK Komatsu Flange</p>	 <p>FLK45 Komatsu Flange - 45°</p>	 <p>FLK90 Komatsu Flange - 90°</p>
 <p>MKBC Male Kobelco</p>	 <p>MBSPT BSPT Male</p>	 <p>MBSPP MBSP Male</p>	 <p>FBSP BSPP Female Swivel</p>
 <p>FBSP45 BSPP Female Swivel - 45°</p>	 <p>FBSP90 BSPP Female Swivel - 90°</p>	 <p>FBSP90B BSPP Female Swivel - 90° Block</p>	 <p>FBSPFF BSP Female Flat Face Swivel</p>
 <p>SP Imperial Standpipe</p>	 <p>SPML Metric Standpipe Light</p>	 <p>SPML45 Metric Standpipe Light - 45°</p>	 <p>SPML90 Metric Standpipe Light - 90°</p>
 <p>BJBSP BSP Banjo</p>	 <p>BJBSPBT BSP Banjo Bolt</p>	 <p>BJM Metric Banjo</p>	 <p>BJMBT Metric Banjo Bolt</p>

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.




































<p>MML Metric 24° Male Light - (CEL)</p>	<p>FML Metric 24° Female Light - (DKOL)</p>	<p>FML45 Metric 24° Female Light - 45° (DKOL)</p>	<p>FML90 Metric 24° Female Light - 90° (DKOL)</p>
<p>MMS Metric 24° Male Heavy - (CES)</p>	<p>FMS Metric 24° Female Heavy - (DKOS)</p>	<p>FMS45 Metric 24° Female Heavy - 45° (DKOS)</p>	<p>FMS90 Metric 24° Female Heavy - 90° (DKOS)</p>
<p>MGAZ French Metric Male GAZ</p>	<p>FGAZ French Metric Female GAZ</p>	<p>FPWK Metric Pressure Wash Swivel - K</p>	<p>MPWK Metric Pressure Wash Swivel - K</p>
<p>FL Code 61 Flange</p>	<p>FL22 Code 61 Flange - 22°</p>	<p>FL30 Code 61 Flange - 30°</p>	<p>FL45 Code 61 Flange - 45°</p>
<p>FL60 Code 61 Flange - 60°</p>	<p>FL67 Code 61 Flange - 67°</p>	<p>FL90-*** Code 61 Flange - 90°</p>	<p>FL100 Code 61 Flange - 100°</p>
<p>FL110 Code 61 Flange - 110°</p>	<p>FL135 Code 61 Flange - 135°</p>	<p>FLH Code 62 Flange</p>	<p>FLH22 Code 62 Flange - 22°</p>
<p>FLH30 Code 62 Flange - 30°</p>	<p>FLH45 Code 62 Flange - 45°</p>	<p>FLH60 Code 62 Flange - 60°</p>	<p>FLH67 Code 62 Flange - 67°</p>

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

Couplings




































 <p>FLH90-*** Code 62 Flange - 90°</p>	 <p>FLC CAT® Flange</p>	 <p>FLC22 CAT® Flange - 22°</p>	 <p>FLC30 CAT® Flange - 30°</p>
 <p>FLC45 CAT® Flange - 45°</p>	 <p>FLC60 CAT® Flange - 60°</p>	 <p>FLC67 CAT® Flange - 67°</p>	 <p>FLC90-*** CAT® Flange - 90°</p>
 <p>MHU1502 Male Hammer Union</p>	 <p>FHU1502 Female Hammer Union</p>	 <p>14710 WEO Male</p>	 <p>14712 WEO Male - 45°</p>
 <p>14714 WEO Male - 90°</p>	 <p>BTF Bumped Tube O-Ring Female Swivel</p>	 <p>BTF-P Bumped O-Ring Female Swivel (R134a)</p>	 <p>BTF45 Bumped Tube O-Ring Female Swivel - 45°</p>
 <p>BTF45-P Bumped O-Ring Female Swivel-45° (R134a)</p>	 <p>BTF90 Bumped Tube O-Ring Female Swivel - 90°</p>	 <p>BTF90-P Bumped O-Ring Female Swivel-90° (R134a)</p>	 <p>BTM Bumped Tube O-Ring Male Swivel</p>
 <p>BTM45 Bumped Tube O-Ring Male Swivel - 45°</p>	 <p>BTM90 Bumped Tube O-Ring Male Swivel - 90°</p>	 <p>BTM90-P Bumped O-Ring Male Swivel - 90° (R134a)</p>	 <p>IOM Bumped Tube O-Ring Male Swivel</p>
 <p>IOM90 Bumped Tube O-Ring Male Swivel - 90°</p>	 <p>HM Hose Mender</p>	 <p>HM-P Hose Mender (R134a Service Port)</p>	

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.




































<p>0304C JIC Cap</p> 	<p>0306 JIC Bulkhead Locknut</p> 	<p>0318 JIC Tube Nut</p> 	<p>0319 JIC Tube Sleeve</p> 	<p>0403 BORE - MJ Straight</p> 
<p>1404 MP - FPX Straight</p> 	<p>1405 FP - FPX Straight</p> 	<p>1501 MP - FPX 90°</p> 	<p>1501LL MP - FPX 90° X-Long</p> 	<p>1502 FP - FPX 90°</p> 
<p>1503 MP - FPX 45°</p> 	<p>1504 FP - FPX 45°</p> 	<p>1601 MP - FPX - FPX Tee</p> 	<p>1602 FP - FPX - FPX Tee</p> 	<p>1603 FPX - FPX - FPX Tee</p> 
<p>1700 MJ - Flange (61)</p> 	<p>1703 MJ - Flange (61) 45°</p> 	<p>1703FG MJ - Flange (61) 45° Forged</p> 	<p>1704 MJ - Flange (61) 90°</p> 	<p>1704 FG MJ Flange (61) 90° Forged</p> 
<p>1724 Flange (61) Plug</p> 	<p>1800 MJ - Flange (62)</p> 	<p>1803 MJ - Flange (62) 45°</p> 	<p>1803FG MJ - Flange (62) 45° Forged</p> 	<p>1804 MJ - Flange (62) 90°</p> 
<p>1804FG MJ - Flange (62) 90° Forged</p> 	<p>1824 Flange (62) Plug</p> 	<p>1850 MJ - Flange CAT</p> 	<p>1901 Split Flange Kit (61)</p> 	<p>1902 Split Flange Kit (62)</p> 
<p>1903 Split Flange Kit (Cat)</p> 	<p>1927 FP - Flange Kit (61)</p> 	<p>1928 FP - Flange Kit (62)</p> 	<p>1929-61 FORB - Flange Kit (61)</p> 	<p>1929-62 FORB - Flange Kit (61)</p> 

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

Adapters




































2403 MJ - MJ 	2403LH MJ - MJ Large Hex 	2404 MJ - MP Straight 	2404L MJ - MP Long 	2404LL MJ - MP X-Long 
2405 MJ - FP Straight 	2406 FJ - MJ Straight 	2408 MJ Plug 	2500 MJ - MJ 90° 	2501 MJ - MP 90° 
2501L MJ - MP 90° Long 	2501LL MJ - MP 90° X-Long 	2501LLL MJ - MP 90° XX-Long 	2502 MJ - FP 90° 	2503 MJ - MP 45° 
2504 MJ - MJ 45° 	2505 MJ - FP 45° 	2601 MJ - MJ - MP Tee 	2602 MJ - MJ - FP Tee 	2603 MJ - MJ - MJ Tee 
2605 MJ - MP - MJ Tee 	2606 Run Tee MJ - FP - MJ 	2609 MJ - FP - FJ Tee 	2610 MP - MP - MJ 	2613 MP - FP - MJ Tee 
2650 MJ - MJ - MJ - MJ Cross 	2700LN MJ - MJ Bulkhead 	2701LN MJ - MJ Bulkhead 90° 	2702LN MJ - MJ Bulkhead 45° 	2703LN MJ - MJ - MJ Bulkhead Tee 
2704LN MJ - MJ - MJ Bulkhead Tee 	2705LN FP - MJ Bulkhead 	2706LN MP - MJ Bulkhead 	3474 MAORB - MORB 	4404 HB - MP Straight 

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.




































<p>4501 HB - MP 90°</p> 	<p>4503 HB - MP 45°</p> 	<p>4601 HB - MORB 90°</p> 	<p>4603 HB - MORB 45°</p> 	<p>4604 HB - MORB Straight</p> 
<p>5000 FP - FP Straight</p> 	<p>5404 MP - MP Straight</p> 	<p>5405 MP - FP Straight</p> 	<p>5406 MP - FP Reducing Bushing</p> 	<p>5406C FP Pipe Cap</p> 
<p>5406P MP Pipe Plug</p> 	<p>5406HP MP Hollow Hex Plug</p> 	<p>5406SHP MP Square Head Plug</p> 	<p>5500 MP - MP 90°</p> 	<p>5501 MP - MP 45°</p> 
<p>5502 MP - FP 90°</p> 	<p>5503 MP - FP 45°</p> 	<p>5504 FP - FP 90°</p> 	<p>5505 FP - FP 45°</p> 	<p>5600 MP - MP - MP Tee</p> 
<p>5601 MP - MP - FP Tee</p> 	<p>5602 MP - FP - FP Tee</p> 	<p>5603 MP - FP - MP Tee</p> 	<p>5604 FP - FP - MP Tee</p> 	<p>5605 FP - FP - FP Tee</p> 
<p>5652 FP - FP - FP - FP Tee</p> 	<p>6400 MJ - MORB Straight</p> 	<p>6400L MJ - MORB Long</p> 	<p>6401 MORB - MP</p> 	<p>6402 MORB - FJX</p> 
<p>6404 FORB - MP</p> 	<p>6405 MORB - FP</p> 	<p>6408 ORB Plug</p> 	<p>6408H ORB Hollow Hex Plug</p> 	<p>6410 MORB - FORB</p> 

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

Adapters




































<p>6500 MJ - FJX 90°</p> 	<p>6501 MP - FJX 90°</p> 	<p>6502 MJ - FJX 45°</p> 	<p>6504 MJ - FJX Straight</p> 	<p>6505 MP - FJX Straight</p> 
<p>6506 FP - FJX Straight</p> 	<p>6565 FJX - FJX Straight</p> 	<p>6600 MJ - MJ - FJ Tee</p> 	<p>6602 MJ - FJX - MJ Tee</p> 	<p>6603 FJX - FJX - MJ Tee</p> 
<p>6606 FJX - FJX - FJX Tee</p> 	<p>6701 MJ - FJX 90° Tube</p> 	<p>6701L MJ - FJX 90° Long Tube</p> 	<p>6702L MJ - FJX 45° Tube</p> 	<p>6801 MJ - MAORB 90°</p> 
<p>6801L MJ - MAORB 90° Long</p> 	<p>6801LL MJ - MAORB 90° X-Long</p> 	<p>6801LLL MJ - MAORB 90° XX-Long</p> 	<p>6802 MJ - MAORB 45°</p> 	<p>6803 MJ - MJ - MAORB Tee</p> 
<p>6804 MJ - MAORB - MJ Tee</p> 	<p>6805 MAORB - FP 90°</p> 	<p>6805L MAORB - FP 90° Long</p> 	<p>6806 MAORB - MP 90°</p> 	<p>6807 MAORB - MAORB 90°</p> 
<p>6809 90° MORB - FJ</p> 	<p>6815 90° MORB - FORB</p> 	<p>6835 MAORB - FORB - FORB Tee</p> 	<p>6900 MAORB - FPX</p> 	<p>6901 MAORB - FPX 90°</p> 
<p>6902 MAORB - FPX 45°</p> 	<p>7000 MJ - MBSPT Straight</p> 	<p>7002 MJ - MBSPP Straight</p> 	<p>7004 MJ - FBSPP</p> 	<p>7005 MJ - MM Metric Port</p> 

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

<p>7005L MJ - MML Light Metric</p> 	<p>7005S MJ - MMS Heavy Metric</p> 	<p>7007L MJ - FML Light Metric</p> 	<p>7007S MJ - FMS Heavy Metric</p> 	<p>7008 MJ - MJIS</p> 
<p>7009 MJ - MK Komatsu</p> 	<p>7009F MJ - FK Komatsu</p> 	<p>7022 FJX - MBSPP</p> 	<p>7025 FJX - MM Metric Port</p> 	<p>7030 MP - MBSPT</p> 
<p>7032 MP - MBSPP</p> 	<p>7033 MP - FBSPP</p> 	<p>7034 MP - FBSPPX</p> 	<p>7040 FP - MBSPT</p> 	<p>7042 FP - MBSPP</p> 
<p>7045 FP - MM Metric Port</p> 	<p>7062 MORB - MBSPP</p> 	<p>7102 MJ - MABSPP 45°</p> 	<p>7200 MJ - MBSPT 90°</p> 	<p>7202 MJ - MABSPP 90°</p> 
<p>7204 MJ - FBSPPX 90°</p> 	<p>7205 MJ - MMA Metric Port</p> 	<p>7222 FJX - MBSPP 90°</p> 	<p>7588P JIS Plug</p> 	<p>7599P Komatsu Plug</p> 
<p>7688C JIS Cap</p> 	<p>7699C Komatsu Cap</p> 	<p>8555H Metric Hollow Hex Plug</p> 	<p>8800 Metric Bonded Seal</p> 	<p>9020 MBSPP - MBSPT</p> 
<p>9022 MBSPP - MBSPP</p> 	<p>9023 FBSPP - MBSPP</p> 	<p>9024 MBSPP - FBSPPX</p> 	<p>9025 MBSPP - MM</p> 	<p>9033 FBSPP - FBSPP</p> 

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

Adapters




































<p>9087 MBSPP - MBSPP - FBSPPX Tee</p> 	<p>9090 MBSPP - FBSPPX - MBSPP Tee</p> 	<p>9124 MBSPP - FBSPPX 45°</p> 	<p>9224 MBSPP - FBSPPX 90°</p> 	<p>9224L MBSPP - FBSPPX 90° Tube</p> 
<p>9224ADJ MABSPP - FBSPPX 90°</p> 	<p>9245 MJ - MJSW</p> 	<p>9247 MJ - MKBC Kobelco</p> 	<p>9322 MBSPP - MBSPP - MBSPP Tee</p> 	<p>9344 FBSPPX - FBSPPX - FBSPPX Tee</p> 
<p>9500P MBSPT Plug</p> 	<p>9522P MBSPP Plug</p> 	<p>9522H BSPP Hollow Hex Plug</p> 	<p>9610 Metric Plug Light</p> 	<p>9611 Metric Plug Heavy</p> 
<p>9620 Metric Cap Light</p> 	<p>9621 Metric Cap Heavy</p> 	<p>9644C FBSPP Cap</p> 	<p>9722LN MBSPP - MBSPP Bulkhead</p> 	<p>9900 BSP Bonded Seal</p> 
<p>9900 CP BSP Copper Seal</p> 	<p>9999 MBSPP - MJIS</p> 	<p>8101 MC - MBSPP ED Seal</p> 	<p>8102 MC - MBSPT</p> 	<p>8123 MC - MC - MABSPP</p> 
<p>8133 MABSPP - MC - MC Tee</p> 	<p>8151 FML/S - MBSPP</p> 	<p>8192 MC - MBSPT 90°</p> 	<p>8193 MC - MABSP 90°</p> 	<p>8199 MC - BJBSP ED Seal 90°</p> 
<p>8201 MC - MM ED Seal</p> 	<p>8202 MC - MMT Metric Tapered</p> 	<p>8205L MC - FML Reducer</p> 	<p>8205S MC - FMS Reducer</p> 	<p>8223 MC - MC - MMA Tee</p> 

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.































<p>8223 MMA - MC - MC Tee</p>	<p>8225 MC - MC - FML Tee</p>	<p>8235 MC - FML - MC Tee</p>	<p>8292 MC - MMT 90°</p>	<p>8293 MC - MMA 90°</p>
<p>8295L MC - FML 90°</p>	<p>8295S MC - FMS 90°</p>	<p>8299 MC - BJM ED Seal 90°</p>	<p>8302 MC - MP</p>	<p>8392 MC - MP 90°</p>
<p>8400 MC - MC</p>	<p>8407 MC - MC Bulkhead</p>	<p>8410 MC - MC - MC Tee</p>	<p>8460 MC - MC - MC - MC Cross</p>	<p>8490 MC - MC 90°</p>
<p>8497 MC - MC Bulkhead 90°</p>	<p>8500 Metric Tube Nut</p>	<p>8600 Cutting Ring</p>	<p>8600R Cutting Ring - Elastomer</p>	<p>8700 Plug (Use with 8500)</p>
<p>9610 Metric Plug Light</p>	<p>9611 Metric Plug Heavy</p>	<p>9620 Metric Cap Light</p>	<p>9621 Metric Cap Heavy</p>	<p>C0304 Flareless Cap</p>
<p>C0306 Flareless LockNut</p>	<p>C0318 Flareless Nut</p>	<p>C0319 Flareless Sleeve</p>	<p>C2402 FC - MJ</p>	<p>C2403 FC - FC</p>
<p>C2404 FC - MP</p>	<p>C2405 FC - FP</p>	<p>C2406 Stand Pipe - FC</p>	<p>C2408 Flareless - Plug</p>	<p>C2500 FC - FC 90°</p>

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

Adapters

<p>C2501 FC - MP 90°</p> 	<p>C2503 FC - MP 45°</p> 	<p>C2601 FC - FC - MP Tee</p> 	<p>C2602 FC - FC - FP Tee</p> 	<p>C2603 FC - FC - FC Tee</p> 
<p>C2605 FC - MP - FC Tee</p> 	<p>C2606 FC - FP - FC Tee</p> 	<p>C2650 FC - FC - FC - FC Cross</p> 	<p>C2700 FC - FC Bulkhead</p> 	<p>C6400 FC - MORB</p> 
<p>C6801 FC - MAORB 90°</p> 	<p>C6802 FC - MAORB 45°</p> 	<p>C6803 FC - FC MAORB Tee</p> 	<p>C6804 MAORB - FC - FC Tee</p> 	<p>FS0304 ORFS Cap</p> 
<p>FS0306 ORFS Bulkhead Locknut</p> 	<p>FS0318 ORFS Tube Nut</p> 	<p>FS0319 ORFS Tube Sleeve</p> 	<p>FS0403 BORE - MORFS Straight</p> 	<p>FS1700 MF - Flange (61)</p> 
<p>FS1703FG MORFS - Flange (61) 45° Forged</p> 	<p>FS1704FG MORFS - Flange (61) 90° Forged</p> 	<p>FS1800FG MF - Flange (62)</p> 	<p>FS1803FG MF - Flange (62) 45° Forged</p> 	<p>FS1804FG MF - Flange (62) 90° Forged</p> 
<p>FS2403 MF - MF</p> 	<p>FS2404 MF - MP</p> 	<p>FS2406 FFX - MF</p> 	<p>FS2408 ORFS Hex Plug</p> 	<p>FS2500 MF - MF 90°</p> 
<p>FS2501 MF - MP 90°</p> 	<p>FS2503 MF - MP 45°</p> 	<p>FS2601 MF - MF - MP Tee</p> 	<p>FS2603 MF - MF - MF Tee</p> 	<p>FS2650 MF - MF - MF - MF Cross</p> 

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.


























FS2700LN MF - MF Bulkhead 	FS2701LN MF - MF Bulkhead 90° 	FS2702LN MF - MF 45° Bulkhead 	FS2703LN MF - MF - MF Bulkhead Tee 	FS2704LN MF - MF - MF Bulkhead Tee 
FS2706LN MP - MF Bulkhead 	FS6400 MF - MORB 	FS6400L MF - MORB Long 	FS6402 MF - FJX 	FS6403 MF - MJ 
FS6500 MF - FFX 90° 	FS6502 MF - FFX 45° 	FS6504 FFX - MJ Straight 	FS6505 MP - FFX 	FS6540 FFX - MORB 
FS6600 MF - MF - FFX Tee 	FS6602 MF - FFX - MF Tee 	FS6801 MF - MAORB 90° 	FS6801L MF - MAORB 90° Long 	FS6802 MF - MAORB 45° 
FS6803 MF - MF MAORB Tee 	FS6804 MF - MAORB - MF Tee 	FS6809 FFX - MAORB 90° 	FS7002 MF - MBSPP 	FS7202 MF - MABSPP 90° 
FS7205 MF - MMA 90° 	FS7210 MF - MF - MMA Tee 	FS7215 MF - MMA - MF Tee 	FS7300 MF - MMA 45° 	FS7640 MF - MM 

Quick Couplers

1S0A Poppet Valve / Nipple 	1S0B Poppet Valve / Nipple 	QG PushPull / Poppet Nipple 	QFF Coupler / Nipple 	QWN (Standard) Coupler / Nipple 
QV Coupler / Nipple 	QVS Coupler / Nipple 	Multifaster Coupler / Nipple 	Multifaster Tool 	QST Coupler / Nipple 

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

Accessories

<p>NS Nylon Sleevling</p> 	<p>NSV Nylon Sleevling Velcro</p> 	<p>PS Polyurethane Sleevling</p> 	<p>FS Fire Sleevling</p> 	<p>PWMD Plastic Wrap Medium Duty</p> 
<p>PWHD Plastic Wrap Heavy Duty</p> 	<p>SG Steel Spring Guard</p> 	<p>TCS Tube Clamps - Standard</p> 	<p>TCT Tube Clamps - Twin</p> 	<p>TCH Tube Clamps - Heavy</p> 
<p>CL Vinyl Coated Support Clamps</p> 	<p>OK O-Ring Kit</p> 	<p>PCDK Steel Cap/Plug Kit</p> 	<p>MTK Metric Thread ID Kit</p> 	<p>CGVS Velcro Straps</p> 
<p>TPG Vinyl Bend Restrictors</p> 	<p>HH Nylon Whip Checks</p> 	<p>FLT Flange Lock</p> 	<p>PGDS2.5 Dry Stabilizer Gauges Vibration Control</p> 	<p>PGL2.5 Liquid Filled Gauges</p> 
<p>BV-HPN High Pressure Ball Valve (NPT - SAE)</p> 	<p>BV-HPN-3W 3-Way High Pressure Ball Valve (NPT - SAE) L Port</p> 	<p>BV-BRN Brass (CSA) Full Port</p> 	<p>BV-CS Carbon Steel Reduced Port</p> 	<p>Plastic Thread Gauge Kits NPT,SAE, BSP, Metric, Flange</p> 

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

DMR100



Capacity:

Braided Hose: -3 thru -16
4 Wire Hose: -6 thru -12

Power Source: Not included

Available Source:

Pump-01 10,000 PSI Handpump
Pump-02 10,000 PSI Electric (110v)
Pump-03 10,000 PSI Air/Hydraulic

Dimensions: 12.5" D, 12.5" W, 21.5" H

Weight: 48 lbs.

Dies Included: None

Caution - All Forsaflex pumps produce 10,000 PSI. Safety and caution should always be used when operating hydraulic equipment.

DMR165-SE



Capacity:

Braided Hose: -3 thru -20
4 Wire Hose: -6 thru -20
6 Wire Hose: -12 thru -16

Power Source: 1-HP, 110V AC, single phase

Dimensions: 22.5" D, 13" W, 27.5" H

Weight: 154 lbs.

Dies Included: None

Caution - All Forsaflex pumps produce 10,000 PSI. Safety and caution should always be used when operating hydraulic equipment.

DM205



Capacity:

Braided Hose: -3 thru -20
4 Wire Hose: -6 thru -20
6 Wire Hose: -12 thru -20

Power Source: 2-HP, 220V AC, single phase (110 volt available on request)

Dimensions: 32" D, 17" W, 29" H

Weight: 305 lbs.

Dies Included: 16mm, 19mm, 23mm, 31mm, 39mm

Caution - All Forsaflex pumps produce 10,000 PSI. Safety and caution should always be used when operating hydraulic equipment.

FC100-AP



Capacity:

Braided Hose: -3 thru -16
4 Wire Hose: -6 thru -16

Power Source:

FC100-AP: Air/hydraulic
FC100-HP: Hand pump

Dimensions: 9" D, 10" W, 12.5" H

Weight: 57 lbs.

Dies Included: 16mm, 19mm, 23mm, 27mm, 31mm, 37mm

Caution - All Forsaflex pumps produce 10,000 PSI. Safety and caution should always be used when operating hydraulic equipment.

FC130



Capacity:

Braided Hose: -3 thru -20
4 Wire Hose: -6 thru -20
6 Wire Hose: -12 thru -20

Power Source: 1-1/2-HP, 110V AC, 1 phase

Dimensions: 24" D, 24" W, 24" H

Weight: 440 lbs.

Dies Included: 12mm, 14mm, 16mm, 19mm, 22mm, 26mm, 30mm, 34mm, 39mm

Caution - All Forsaflex pumps produce 10,000 PSI. Safety and caution should always be used when operating hydraulic equipment.

FC200



Capacity:

Braided Hose: -3 thru -32
4 Wire Hose: -6 thru -32
6 Wire Hose: -6 thru -24

Power Source: 2-HP, 220V AC, 3 phase

Dimensions: 26" D, 24" W, 55" H

Weight: 594 lbs.

Dies Included: 12mm, 14mm, 16mm, 19mm, 23mm, 26mm, 30mm, 34mm, 39mm, 48mm, 56mm, 69mm

Caution - All Forsaflex pumps produce 10,000 PSI. Safety and caution should always be used when operating hydraulic equipment.

14" Chop Saw Attachment



Part Number: TP-HS200

Capacity:

Braided hose -4 through -20

Spiral Hose -6 through -20

Weight: 14 lbs (Attachment only)

Blade: Designed for 12" blade only.

HS510 Hose Saw



Capacity:

Braided Hose -4 through -32

Spiral Hose -6 through -32

Power: 4 HP, 220V, 3 phase

Dimensions: 29" D, 19" W, 21" H

Weight: 121 lbs.

Blade Part Number: Blade-S-10-1.000

Blade Dimension: 350mm bevelled (slot)

- 32mm arbor

Hose Reel 7



HR7 can be used for hoses of dimensions from 3/16" to 1-1/4". All baskets (except the bottom one) can be swung outward horizontally in order to easily put the hose in place.

Part Number: HR7

Weight: 352 lbs

Depth: 50 in

Width: 40 in

Height: 88 in

Coil ID: 11.8 in

Coil OD: 33.4 in

Coil Height: 7.8 in

72 Bin Storage Cabinet



Part Number: DFC72

Weight: 24" D, 40" W, 46-1/4" H

BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS WITHOUT NOTICE.

